



Nursery Stock List May 2025

Species	Common Name	Available now	In Production (Available in 3-6 months)
Trees - height range 5m-20m			
<i>Acacia binervia</i>	Coast Myall	☒	☐
<i>Acacia decurrens</i>	Black Wattle	☐	☐
<i>Acacia irrorata</i>	Green Wattle	☐	☐
<i>Acacia implexa</i>	Hickory wattle	☐	☐
<i>Acacia melanoxylon</i>	Australian blackwood	☒	☐
<i>Acmena smithii</i>	Lilly Pilly	☐	☐
<i>Allocasuarina distyla</i>	Scrub She-oak	☒	☐
<i>Allocasuarina littoralis</i>	Black She-oak	☐	☒
<i>Allocasuarina torulosa</i>	Forest Oak	☐	☒
<i>Alphitonia excelsa</i>	Red Ash	☐	☒
<i>Angoophora bakeri</i>	Narrow-leaved Apple	☐	☐
<i>Angophora costata</i>	Sydney Red Gum	☒	☐
<i>Angophora floribunda</i>	Rough-barked Apple	☐	☒
<i>Angophora hispida</i>	Dwarf Apple	☒	☐
<i>Angophora inopina</i>	Charmhaven Apple	☐	☐
<i>Brachychiton populensis</i>	Kurrajong	☐	☒
<i>Callitris rhomboidea</i>	Port Jackson pine	☒	☐
<i>Casuarina cunninghamiana</i>	River Oak	☒	☒
<i>Casuarina equisetifolia</i>	Whistling pine tree	☐	☐
<i>Casuarina glauca</i>	Swamp She-oak	☐	☒
<i>Ceratopetalum gummiferum</i>	NSW Christmas Bush	☐	☒
<i>Corymbia citriodora</i> *	Lemon-scented Gum	☒	☐
<i>Corymbia eximia</i>	Yellow Bloodwood	☒	☒
<i>Corymbia ficifolia</i> *	Red-flowering Gum	☒	☐
<i>Corymbia gummifera</i>	Red Bloodwood	☐	☒
<i>Corymbia intermedia</i>	Pink Bloodwood	☒	☐
<i>Corymbia maculata</i>	Spotted Gum	☐	☒
<i>Corymbia opaca</i> *	Desert Bloodwood	☒	☐
<i>Duboisia myoporoides</i>	Corkwood	☒	☐
<i>Eucalyptus acmenoides</i>	White Mahogany	☐	☒
<i>Eucalyptus agglomerata</i>	Blue-leaved Stringybark	☐	☐
<i>Eucalyptus albens</i>	White Box	☐	☐
<i>Eucalyptus amplifolia</i>	Cabbage Gum	☐	☒
<i>Eucalyptus blakelyi</i>	Blakely's Red Gum	☐	☒
<i>Eucalyptus botryoides</i>	Bangalay	☒	☐

<i>Eucalyptus camaludensis</i>	Contact Nursery	☐	☐
<i>Eucalyptus capitellata</i>	Brown String Bark	☒	☐
<i>Eucalyptus cinerea</i> *	Argyle Apple	☐	☐
<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	☒	☒
<i>Eucalyptus curtisii</i> *	Plunkett Mallee	☐	☒
<i>Eucalyptus deanei</i>	Mountain Blue Gum	☐	☐
<i>Eucalyptus eugenioides</i>	Thin-leaved Stringybark	☐	☒
<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	☒	☒
<i>Eucalyptus globoidea</i>	White Stringybark	☒	☒
<i>Eucalyptus goniocalyx</i>	Long-leaved Box	☐	☐
<i>Eucalyptus grandis</i>	Flooded Gum	☒	☒
<i>Eucalyptus haemestoma</i>	Scribbly Gum	☒	☐
<i>Eucalyptus melliodora</i>	Yellow Box	☐	☒
<i>Eucalyptus microcorys</i>	Tallowwood	☐	☒
<i>Eucalyptus moluccana</i>	Grey box	☐	☒
<i>Eucalyptus paniculata</i>	Grey ironbark	☐	☒
<i>Eucalyptus parramattensis</i> <i>subsp. decadens</i>	Earp's gum	☒	☒
<i>Eucalyptus pilularis</i>	Blackbutt	☐	☒
<i>Eucalyptus piperita</i>	Sydney peppermint	☐	☒
<i>Eucalyptus propinqua</i>	Small-fruited grey gum	☐	☒
<i>Eucalyptus punctata</i>	Grey Gum	☒	☒
<i>Eucalyptus racemosa</i>	Narrow- leaved scribbly gum	☒	☐
<i>Eucalyptus resinifera</i>	Red mahogany	☐	☒
<i>Eucalyptus robusta</i>	Swamp mahogany	☒	☒
<i>Eucalyptus saligna</i>	Sydney blue gum	☐	☒
<i>Eucalyptus siderophloia</i>	Nothorn Grey Ironbark	☐	☒
<i>Eucalyptus sideroxylon</i>	Mugga Ironbark	☐	☒
<i>Eucalyptus sieberi</i>	Silver top Ash	☐	☐
<i>Eucalyptus tereticornis</i>	Forest red gum	☐	☒
<i>Eucalyptus umbra</i>	Broad-leaved White Maho	☐	☒
<i>Ficus coronata</i>	Sandpaper fig	☐	☒
<i>Ficus macrophylla</i>	Moreton Bay fig	☒	☐
<i>Ficus rubiginosa</i>	Port Jackson Fig	☒	☒
<i>Glochidion ferdinandi</i>	Cheese tree	☐	☒
<i>Lophostemon confertus</i>	Brush Box	☐	☒
<i>Podocarpus elatus</i>	Plum pine	☒	☐
<i>Syncarpia glomulifera</i>	Turpentine	☐	☒
<i>Syzigium paniculatum</i>	Brush Cherry	☒	☐
<i>Tristania laurina</i>	Water Gum	☒	☒
<i>Eupomatia laurina</i>	Bolwarra	☒	☐
Tall shrubs/understorey			
<i>Acacia binervia</i>	Coast Myall	☒	☐
<i>Acacia paradoxa</i>	Kangaroo Thorn	☒	☐
<i>Acacia buxifolia</i>	Box-leaf Wattle	☒	☐
<i>Acacia cultriformis</i>	Knife-leaf wattle	☐	☐
<i>Acacia elongata</i>	Swamp wattle	☒	☐
<i>Acacia falcata</i>	Sickle Wattle	☒	☐
<i>Acacia floribunda</i>	Sallys Wattle	☐	☐

<i>Acacia fimbriata</i>	Fringed wattle	☒	☐
<i>Acacia linifolia</i>	White Wattle	☒	☐
<i>Acacia longifolia subsp. longifolia</i>	Sydney Golden Wattle	☒	☒
<i>Acacia longifolia subsp. sophora</i>	Coastal wattle	☐	☒
<i>Acacia maidenii</i>	Maiden's wattle	☐	☐
<i>Acacia myrtifolia</i>	Myrtle wattle	☒	☐
<i>Acacia piligera</i>	Hunter Gold-dust Wattle	☒	☐
<i>Acacia stricta</i>	Hop Wattle	☒	☐
<i>Acacia suaveolens</i>	Sweet wattle	☐	☐
<i>Acacia terminalis</i>	Sunshine wattle	☒	☐
<i>Acacia ulicifolia</i>	Prickly moses	☒	☐
<i>Alectryon coriaceus</i>	Beach Alectryon	☒	☐
<i>Austromyrtus tenuifolia</i>	Narrow-leaved midgem be	☐	☒
<i>Banksia aemula</i>	Wallum Banksia	☐	☒
<i>Banksia collina</i>	Hair-pin Banksia	☐	☒
<i>Banksia ericifolia</i>	Heath-leaved banksia	☐	☒
<i>Banksia integrifolia</i>	Coast banksia	☒	☒
<i>Banksia robur</i>	Swamp Banksia	☐	☒
<i>Banksia serrata</i>	Old man banksia	☐	☒
<i>Breynia oblongifolia</i>	Coffee bush	☐	☒
<i>Bursaria spinosa</i>	Sweet Bursaria	☐	☐
<i>Callistemon citrinus</i>	Crimson bottlebrush	☒	☐
<i>Callistemon linearis</i>	Narrow leaved Bottlebrush	☒	☐
<i>Callistemon pinifolius</i>	Pine-leaved bottlebrush	☐	☒
<i>Callistemon rigidus</i>	Stiff bottlebrush	☐	☐
<i>Clerodendrum tomentosum</i>	Hairy clerodendrum	☒	☐
<i>Commersonia fraseri</i>	Brush Kurrajong	☐	☐
<i>Cryptocarya microneura</i>	Murrogun	☐	☒
<i>Cupaniopsis anacardioides</i>	Tuckeroo	☒	☒
<i>Dodonaea triquetra</i>	Hop bush	☒	☐
<i>Dodonaea viscosa</i>	Sticky Hop-bush	☐	☐
<i>Doryanthes excelsa</i>	Gynea lily	☒	☐
<i>Elaeocarpus reticulatus</i>	Blueberry Ash	☐	☒
<i>Elaeodendron australe</i>	Blue Ash	☐	☐
<i>Euodia semiglauc</i>	Native quince	☐	☐
<i>Hakea salicifolia</i>	Willow leaved Hakea	☒	☒
<i>Homolanthus populifolius</i>	Bleeding heart	☐	☒
<i>Hymenosporum flavum</i>	Native frangipani	☒	☒
<i>Leptospermum petersonii</i>	Lemon Scented Tea tree	☐	☐
<i>Leptospermum polygalifolium</i>	Jelly Bush	☒	☐
<i>Melaleuca armillaris</i>	Bracelet Honeymyrtle	☐	☐
<i>Melaleuca decora</i>	White Feather honeymyrtl	☐	☐
<i>Melaleuca nodosa</i>	Prickly-leaved paperbark	☐	☒
<i>Pittosporum revolutum</i>	Yellow pittosporum	☐	☒
<i>Sannantha pluriflora</i>	Tall Baeckia	☐	☐
<i>Trema australis</i>	Native peach	☒	☐

Shrubs			
<i>Acacia brownii</i>	Heath Wattle	☒	☐
<i>Actinotus helianthi</i>	Flannel flower	☐	☒
<i>Acacia brownii</i>	Heath Wattle	☒	☐
<i>Alpinia caerulea</i>	Native Ginger	☒	☐
<i>Aotus ericoides</i>	Golden Pea	☐	☐
<i>Atriplex nummularia</i>	Old Man Salt Bush	☐	☒
<i>Austromyrtus dulcis</i>	Midgem Berry	☐	☐
<i>Baeckia imbricata</i>	Heath Myrtle	☒	☐
<i>Banksia spinulosa</i>	Hairpin Banksia	☐	☐
<i>Bossiaea ensata</i>	Sword Bossiaea	☐	☐
<i>Bossiaea heterophylla</i>	Variable Bossiaea	☒	☐
<i>Bossiaea rhombifolia</i>	Bossiaea	☐	☐
<i>Bossiaea stephensonii</i>		☒	☐
<i>Cordyline stricta</i>	Narrow-leaved palm lily	☐	☐
<i>Correa alba</i>	White Correa	☒	☐
<i>Correa reflexa</i>	Common Correa	☒	☐
<i>Daviesia alata</i>		☐	☐
<i>Daviesia squarrosa</i>		☒	☐
<i>Daviesia ulicifolia</i>	Gorse Bitter Pea	☒	☒
<i>Dillwynia floribunda</i>		☐	☐
<i>Dillwynia retorta</i>		☒	☐
<i>Doryanthes excelsa</i>	Gynea Lily	☒	☐
<i>Enchylaena tomentosa</i>	Ruby Salt Bush	☐	☐
<i>Gompholobium heterophylla</i>		☐	☐
<i>Gompholobium latifolium</i>	Golden glory pea	☒	☐
<i>Goodenia ovata</i>	Hop goodenia	☐	☐
<i>Grevillea montana</i>		☒	☐
<i>Grevillea sericea</i>	Pink Spider Flower	☒	☐
<i>Grevillea speciosa</i>	Red spider grevillea	☒	☐
<i>Hakea bakeriana</i>		☒	☐
<i>Hakea sericea</i>	Needlebush	☒	☐
<i>Hakea teretifolia</i>	Dagger Hakea	☒	☐
<i>Hibbertia linearis</i>		☒	☐
<i>Hibbertia obtusifolia</i>	Hoary guinea flower	☒	☒
<i>Hovea linearis</i>	Common Hovea	☒	☐
<i>Hovea longifolia</i>	Rustypods	☒	☐
<i>Indigofera australis</i>	Australian Indigo	☒	☐
<i>Isopogon anemonifolius</i>	Broad-leaved drumsticks	☒	☐
<i>Jacksonia scoparia</i>	Dogwood	☐	☒
<i>Kunzea ambigua</i>	Tick bush	☒	☐
<i>Lambertia formosa</i>	Mountain Devil	☒	☐
<i>Leptospermum arachnoides</i>	Spidery tea-tree	☐	☐
<i>Leptospermum laevigatum</i>	Coastal Tea tree	☐	☒
<i>Lomatia silaifolia</i>	Crinkle bush	☐	☐
<i>Melaleuca hypericifolia</i>	Hillock Bush	☒	☒
<i>Melaleuca thymifolia</i>	Thyme honey-myrtle	☐	☒
<i>Mirbelia rubiifolia</i>	Heathy Mirbelia	☒	☐
<i>Petrophile pulchella</i>	Conesticks	☒	☐

<i>Philotheca myoporoides</i>	Long-leaf Wax Flower	☒	☒
<i>Pimelea linifolia</i>	Slender Rice Flower	☐	☒
<i>Platylobium formosum</i>	Handsome Flat Pea	☒	☐
<i>Prostanthera incisa</i>	Mint Bush	☒	☐
<i>Prostanthera rotundifolia</i>	Native Oregano	☒	☐
<i>Prostanthera scutellarioides</i>	Narrow-leaved mint-bush	☒	☐
<i>Podolobium illicifolium</i>	Native Holy	☒	☐
<i>Pultenaea euchila</i>	Orange pultanaea	☐	☐
<i>Pultenaea daphnoides</i>	large leaf bush pea	☐	☐
<i>Pultenaea paleacea</i>	Chaffy bush pea	☒	☐
<i>Pultenaea spinosa</i>	Spiny bush pea	☒	☐
<i>Pultenaea retusa</i>	Blunt Bush-pea	☐	☐
<i>Pultenaea villosa</i>	Hairy bush pea	☒	☐
<i>Westringia fruticosa</i>	Coastal Rosemary	☒	☐
Ground Covers			
<i>Apium prostratum</i>	Sea celery	☒	☐
<i>Brachyscome angustifolia</i>	Rock Daisy	☒	☐
<i>Brachyscome graminea</i>	Grass Daisy	☐	☐
<i>Brachyscome multifida</i>	Cut-leaved daisy	☒	☐
<i>Carpobrotus glaucescens</i>	Pig face	☐	☒
<i>Centella asiatica</i>	Indian pennywort	☐	☐
<i>Chrysocephalum apiculatum</i>	Yellow Buttons	☒	☐
<i>Dianella caerulea</i>	Blue flax-lily	☒	☐
<i>Dianella prunina</i>		☐	☐
<i>Dianella revoluta</i>	Blueberry Lily	☐	☐
<i>Dichondra repens</i>	Kidney weed	☒	☐
<i>Goodenia heterophylla</i>	Variable goodenia	☐	☒
<i>Goodenia rotundifolia</i>		☒	☐
<i>Hibbertia diffusa</i>	Wedge guinea flower	☒	☐
<i>Hibbertia obtusifolia</i>	Hoary Guinea flower	☒	☐
<i>Lobelia purpurascens</i>	Native Pratia	☒	☐
<i>Mentha australia</i>	River Mint	☒	☐
<i>Myoporum parvifolium</i>	Creeping boobialla	☒	☐
<i>Ozothamnus diosmifolius</i>	Rice flower	☐	☐
<i>Patersonia sericea</i>	Purple Flag Lily	☐	☒
<i>Pelargonium australe</i>	Native Pelargonium	☐	☐
<i>Phyllanthus hirtellus</i>	Thyme spurge	☐	☐
<i>Plectranthus argentatus</i>	Native Plectranthus	☐	☐
<i>Scaveola albida</i>	Fan Flower	☒	☐
<i>Sesuvium portulacastrum</i>	Sea purslane	☐	☐
<i>Thysanotus tuberosus</i>	Fringe Lily	☒	☐
<i>Viola hederacea</i>	Native violet	☒	☐
<i>Zieria prostrata</i>	Headland Zieria	☐	☒
Sedges/Rushes			
<i>Carex appressa</i>	Tall Sedge	☒	☐
<i>Ficinia nodosa</i>	Knobbly club-rush	☒	☐
<i>Crinum pedunculatum</i>		☒	☐
<i>Imperata cylindrica</i>		☐	☒
<i>Gahnia aspera</i>	rough saw-sedge	☐	☐

<i>Gahnia clarkei</i>	Tall Saw-sedge	☒	☐
<i>Gahnia sieberiana</i>	Red-fruited saw edge	☐	☒
<i>Lomandra longifolia</i>	Spiny-headed mat-rush	☒	☐
Climbers/Scramblers			
<i>Billardiera scandens</i>	Apple berry	☒	☐
<i>Canavalia rosea</i>	Coastal jack bean	☐	☐
<i>Clematis glycinoides</i>	Headache vine	☐	☐
<i>Eustrephus latifolius</i>	Wombat Berry	☐	☒
<i>Geitonoplesium cymosum</i>	Scrambling lily	☐	☒
<i>Glycine clandestina</i>	Love creeper	☒	☐
<i>Hardenbergia violacea</i>	False sarsaparilla	☒	☐
<i>Hibbertia scandens</i>		☒	☐
<i>Kennedia rubicunda</i>	Dusky coral pea	☒	☐
<i>Smilax glyciphylla</i>	Sweet sarsaparilla	☒	☐
Grasses			
<i>Microlaena stipoides</i>	Weeping grass	☒	☒
<i>Poa labillardierei</i>	Tussock grass	☒	☒
<i>Themeda triandra</i>	Kangaroo grass	☒	☐
<i>Rytidosperma sp</i>	Wallaby Grass	☐	☒
<i>Cymbopogon refractus</i>	Barbed wire Grass	☐	☐
<i>Dichelachne crinita</i>	Long Haired Plum Grass	☒	☐
<i>Imperata cylindrica</i>	Blady Grass	☐	☒

Pricelist 2025 Tubestock

*These species while not endemic to the Lower Hunter Catchment have been sourced from specimens successfully

Order Qty	ex GST	inc GST
0-39	\$5.46	\$6.00
40-100	\$4.55	\$5.00
101-500	\$3.60	\$3.96
501-1000	\$3.30	\$3.63
1000+	\$3.10	\$3.41

*These prices are subject to review every 6 months



